

To: JAMES D WALKER[jameswalker5@msn.com]
Cc: Jonathan.Koplos@cadmusgroup.com[Jonathan.Koplos@cadmusgroup.com]; Rumrill, Nancy[Rumrill.Nancy@epa.gov]; Albright, David[Albright.David@epa.gov]
From: Rao, Kate
Sent: Tue 4/11/2017 8:42:21 PM
Subject: FW: Excelsior Gunnison --
Part 4 of 4--Gunnison Responses
Part 2 of 4 Gunnison comment responses
Part 3 of 4--Gunnison Responses
Draft responses to comments--1 of 4

Hello Jim --

Nancy just handed me a CD with water quality data that could not be sent electronically. This data is referenced in the first attached email (Draft responses to comments -- 1 of 4). I will put it in the mail to you today/tomorrow. Please let me know if this will impact the deliverable due date of April 18/19th.

Thanks. Kate

Kate Rao
Drinking Water Protection Section (WTR 3-2)
USEPA Region 9
75 Hawthorne St., San Francisco, CA 94105
tel: (415) 972-3533 / fax: (415) 947-3549

From: Rumrill, Nancy
Sent: Tuesday, April 04, 2017 11:23 AM
To: JAMES D WALKER <jameswalker5@msn.com>
Cc: Rao, Kate <Rao.kate@epa.gov>
Subject: FW: Excelsior Gunnison

Hi Jim,

Our response from Excelsior.

Thanks, Nancy

From: Rumrill, Nancy
Sent: Wednesday, March 29, 2017 5:44 PM
To: Albright, David <Albright.David@epa.gov>; Rao, Kate <Rao.kate@epa.gov>
Subject: Excelsior Gunnison

New submittal has come in from Excelsior. Checking to make sure the TDM is updated before sending to Jim. Thanks, Nancy